
Index

- 2° spacing, 21, 85, 254, 294
- 29–25 log₁₀θ characteristic, 85–6, 254, 428
- 2B+D (basic rate ISDN), 428
- 3G *see* Third generation mobile (3G) system
- 4:2:0 signal, 172, 428
- 4:2:2 signal, 172, 428
- 4:4:4 signal, 428
- 8-PSK, 75
- 16-QAM, 77, 428
- 64-QAM, 77, 428

- Access (for uplinks) *see* Permissions
- Active video, 380
- Adaptive differential pulse code modulation (ADPCM), 197–8
- Adaptive Spectral Perceptual Entropy Coding (ASPEC) system, 200
- Administration processes, 242–3
 - electromagnetic spectrum, 245–7
- ADPCM *see* Adaptive differential pulse code modulation (ADPCM)
- Air transport, 320
 - chartering, 323–4
 - dangerous goods regulations, 326
 - equipment freighting, 324–5
 - excess baggage costs, 324
 - packaging regulations, 325–6
- Aircraft flight path, proximity hazards, 312–313
- Algorithm, 429

- AM *see* Amplitude modulation (AM)
- American National Standards Institute (ANSI) radiation exposure guidelines, 307
- Amplification factor, antenna, 83, 85
- Amplitude modulation (AM), 50–51, 429
- Analogue signals, 49–51, 429
 - link budget, 369
 - modulation, 151–2
- ANSI *see* American National Standards Institute (ANSI)
- Antenna, 54, 429
 - construction, 85
 - downlink, 99
 - efficiency, 86
 - flyaway systems, 118
 - isotropic, 83, 85, 443
 - parabolic, 82, 83–8, 448
 - path hazards, 306
 - pointing loss, 105
 - radiation pattern, 85, 306
 - safety exclusion zone, 310–312
- Antenna gain (calculation), 370
- AOR *see* Atlantic Ocean Region
- A-pol (A-polarization), 88, 429
- Apt-X coding standard, 235
- Artifacts (visual defects), 193, 429
- ASI *see* Asynchronous serial interface (ASI)
- ASPEC *see* Adaptive Spectral Perceptual Entropy Coding (ASPEC)
- Asynchronous serial interface (ASI) standard, 72

- Asynchronous transfer mode (ATM)
 - transmission, 356–9, 429
- Atlantic Ocean Region, 221, 429
- ATM *see* Asynchronous transfer mode (ATM) transmission
- Atmospheric absorption, 104, 429
- Attenuation, 429
- Audio applications, 234
 - coding standards, 234–7
 - companding standards, 61
 - digital compression *see* Digital compression
 - ITU coding standards, 218
 - pre-emphasis standards, 61
 - processing, 59
- Audio coders, 196, 199–200
- Automatic frequency control (AFC), 429
- Automatic gain control (AGC), 429
- Automatic systems, 156
 - control, 158
 - dis/advantages, 158–9
 - fully remote, 159–60
 - satellite acquisition, 156–8
- Availability factor, 98–9
- Azimuth angle to satellite (calculation), 367–8, 429

- B-frame, 179–80, 430
- Back-off, 430
- Backhaul, 430
- Bandpass filter, 198, 430
- Bandwidth, 430
- BAPT, 430
- Baseband signal, 50
- Baud, 75, 430
- Beacon signals/receiver, 158, 430
- BER *see* Bit error rate (BER)
- Binary phase shift key (BPSK), 74–5
- Bit (definition), 51, 164
- Bit error rate (BER), 102, 430
- Bit-rate:
 - definition, 51, 164, 359, 430
- Bit-stream:
 - hierarchy, 178–80, 430
 - phase-difference combinations, 75
- Bizphone, 430
- Blockiness, 193, 431

- Bonding, 431
- Boresight, 431
- Box, station-kept, 40–41, 431
- B-pol (B-polarization), 88, 431
- BPSK *see* Binary phase shift key (BPSK)
- Broadband Internet systems, 347–8, 431
- Broadcast Satellite Services (BSS), 250, 251
- BSS *see* Broadcast Satellite Services (BSS)
- BZT, 253, 431

- C-band:
 - beam types, 279, 281
 - cross-strapping, 293
 - definition, 431
 - for DSNG, 53
 - frequency band of operation, 153–4
- C/N ratio *see* Carrier to noise (C/N) ratio
- Call set-up modes, satphone, 222
- Capacity:
 - booking, 295
 - contribution, 281
 - dedicated/non-dedicated, 281–2
 - distribution, 281
 - leased, 283–4, 291–2
 - long-term leased, 284
 - occasional (ad hoc), 94, 151, 285–6, 295, 298–9, 428
 - over-run booking, 299
 - pre-emptible/non pre-emptible, 282–3
 - pricing structure, 278–9
 - restoration process, 287–90
 - short-term leased, 284
 - transponder booking, 295
- Carrier controls, 61
- Carrier signal, 50
- Carrier-to-noise (C/N) ratio, 102, 108, 431
 - calculation, 372–4
- CBR-030 (EU standard), 431
- CCETT, 185
- CCIF, 431
- CCIR, 246, 249, 431
 - Recommendation 601, 171, 432
- CCIT, 246, 432
- CCITT, 246, 249, 432
- CDMA *see* Code division multiple access (CDMA)

- Cellphones, 353–4
- CENELEC, 432
- Central Product Classification (CPC), UN, 257
- CEPT, 251, 432
- CES *see* LES
- CETECOM, 253, 432
- Channel coding, 190
- Chartering, air transport, 323–4
- Chrominance, 169–70, 172, 185
- CIF *see* Common Intermediate Format (CIF)
- Circular polarization, 53, 432
- Clarke, Arthur C., 27, 29
- Clarke Belt/Orbit, 432
- Cleanfeed output, 124, 432
- Cliff-edge effect, 102, 433
- Clock *see* Reference signal
- ‘CNN effect’, 2, 25
- Code division multiple access (CDMA), 342, 354, 432
- Codec, 433
- Codeword, 78
- Cold spare, redundancy, 155
- Colour signal transmission, 169–70, 433
- Common carrier, 433
- Common Intermediate Format (CIF), 183, 224, 432
- Common scrambling algorithm (CSA), 191
- Common technical regulation (CTR), 252
 - CTR-030 standard, 253
- Communications circuits, 91–4, 124–6
- Companding, 433
- Compass readings, 44
- Compression, 52, 433
 - asymmetrical, 164
 - lossless, 167, 444
 - lossy, 168, 444
 - standards, 182
 - symmetrical, 164
 - video, 169, 182–5
 - see also* Digital compression
- Constrained parameters bit-stream (CPB), 187
- CONTiguous United States (CONUS), 433
 - spotbeams, 279
- Control systems, 255–6
- CONUS *see* CONTiguous United States (CONUS)
- Conversion *see* Frequency shifting
- Convolutional code, 78–9, 433
- CPB *see* Constrained parameters bit-stream (CPB)
- CPC *see* Central Product Classification (CPC)
- Cross-border issues, 217, 255
- Cross-modulation, 433
- Cross-polar:
 - discrimination (XPD), 89, 433
 - interference (XPI), 107, 434
- Cross-strapping, 292–3, 434
- CSA *see* Common scrambling algorithm (CSA)
- CSC *see* EUTELSAT Satellite Control Centre (CSC)
- CTR *see* Common technical regulation
- DAB *see* Digital audio broadcasting (DAB)
- DAC *see* Direct Access Customer (DAC)
- Dangerous/hazardous goods, transport regulations, 326
- Data rate reduction *see* Compression
- DCT *see* Discrete cosine transform (DCT)
- De-emphasis, 59, 435
- De-orbiting, 39
- Decibel (unit), 60, 65, 101
- Decompression, 434–5
- Deep burning, radiation effects, 305
- Delays:
 - compression, 164, 193, 435
 - hop, 57
- Demodulation, 50, 435
- Demultiplex process, 435
- Deviation, carrier, 435
- Differential coding, 178, 435
- Digital audio broadcasting (DAB), 200
- Digital compression, 161–2, 201–202
 - audio requirements, 196–7
 - bit-stream hierarchy, 178–80
 - hierarchy, 80, 177–8
 - lossless type, 167
 - lossy type, 168
 - quality, 52
 - signal sampling, 164–7
 - terminology, 162, 163

- Digital receiver *see* Integrated receiver decoder (IRD)
- Digital satellite newsgathering (DSNG), 23–4, 71, 130
see also Satellite newsgathering (SNG)
- Digital signals, basics, 51–2, 435
- Digital uplink processes, 71
- Digital video broadcasting (DVB), 379
compliant signal, 72
DVB-S specification, 190–91
European project, 190–91, 436
interoperability, 192
MPEG-2, 189–92
standards, 171–2
- Direct Access Customer (DAC), 269
- Direct-to-home (DTH) satellite
broadcasting, 23, 40, 191, 436
- Discrete cosine transform (DCT), 172–5
- Dish *see* Antenna
- Dolby AC-3, 435
- Downconverter, 99, 431
- Downlink limited system, 105
- Downlink system, 42–3, 54, 55, 57, 98–100
- Driving regulations *see* Vehicle driving regulations
- DSNG *see* Digital satellite newsgathering (DSNG)
- DTH *see* Direct-to-home (DTH) satellite broadcasting
- Dummy load, 69–70, 436
- DVB *see* Digital video broadcasting (DVB)
- Earth leakage circuit breaker (ELCB), 146
- East of Magnetic North (EMN) value, 44
- East of True North (ETN) value, 44
- EBU, Eurovision News network, 23
- Edge of coverage (EOC), 436
- Effective isotropic radiated power (EIRP), 88, 371, 436
- EIRP *see* Effective isotropic radiated power (EIRP)
- ELCB *see* Earth leakage circuit breaker (ELCB)
- Electric telegraph, 3–4
for newsgathering, 5
- Electrical hazards, 315–316
- Electrical power:
flyaway systems, 124
shore power conditioning, 147–8
SNV generator, 143, 145–6
- Electromagnetic spectrum, 243
administration history, 245–7
GMPCS allocation, 350–51
- Electronic newsgathering (ENG):
early developments, 18–19
see also Satellite newsgathering (SNG)
- Elevation angle to satellite, 43, 44, 436
calculation, 368
- Ellipso system, 345
- Emission codes (ITU), 383–6
- Encoder:
digital, 54, 72, 436
MPEG-2, 193–5
- Energy dispersal (ED), 58, 62–3, 436
- Energy per bit to noise density ratio (E/N), 108
- ENG *see* Electronic newsgathering (ENG)
- Entropy (signal information content), 168, 437
- EOC *see* Edge of coverage
- Equipment transportation certificate, INMARSAT, 381
- ERC *see* European Radiocommunications Committee (ERC)
- ERO *see* European Radiocommunications Office (ERO)
- Error correction, digital, 78–9
- ETSI:
8 Mbps standard, 23, 185
34 Mbps standard, 185
CTR-030 standard, 252, 253
digital compression, 184
DVB signal specification, 192
ETS 300 174 standard, 182, 185
ETS 300 327 standard, 252, 253
ETS 300 673 standard, 252, 253
role, 437
structure, 252
TBR-030 standard, 252
- EU (European Union):
and ETSI, 252
Memorandum of Understanding for communication licences, 260
- European Radiocommunications Committee (ERC), 252

- European Radiocommunications Office (ERO), 251, 437
- European regional satellite systems, 276–8
- European Technical Standards Institute *see* ETSI
- European Telecommunications Satellite Organisation (EUTELSAT) *see* EUTELSAT
- EUTELSAT, 276–8
 - INTELSAT reciprocity agreement, 293–4
 - Satellite Control Centre (CSC), 298
 - specifications, 21, 254
 - uplink registration forms, 293, 387–96
- Exciter (modulator/upconverter) stage, 64
- Exposure limits, radiation, 307

- Fade margin *see* Threshold margin
- FCC *see* Federal Communications Commission (FCC)
- FDMA *see* Frequency division multiple access (FDMA)
- FEC *see* Forward error correction (FEC)
- Federal Communications Commission (FCC), 254–5
 - radiation exposure guidelines, 307–308
- Feed *see* Waveguide
- Feedhorn:
 - assembly, 53, 83, 438
 - polarization, 88–9
- Fibre-optic interconnection systems, 127, 131
 - undersea cable links, 355–6
- Field (TV picture), 62
- Figure of merit (G/T), 99, 438
- Figure-of-eight orbit, 40
- Filtering, video processing, 58
- First right of refusal (FRR), 284, 439
- Fixed-Satellite Service (FSS) systems, 251
- Flange power, 66
- FLASH-TV project, 184
- Flight-cases, flyaway systems, 120–23, 438
- Flux-gate compass, 157, 438
- Flyaway systems, 114–17, 438
 - antennas, 115, 118
 - basic set-up, 123
 - electrical power, 124
 - flight-cases, 120–23, 438
 - operation, 123–33
- FM *see* Frequency modulation (FM)
- FM threshold, 98
- Focus, antenna, 83
- Footprint, 103, 118, 438
- Forward error correction (FEC), 78–9, 437, 438
- Frame (TV picture), 62
- Free space attenuation (FSA), 104
 - calculation, 370
- Free space loss (FSL), 104
- Frequency Allocation Table, 247
- Frequency bands of operation, 52–3, 153, 365
 - C-band, 53, 153–4, 279, 281, 293, 365
 - dual-band, 154
 - Ka-band, 53, 341, 347, 365, 369
 - Ku-band, 20, 21, 45, 53, 154, 279, 293, 365
 - L-band, 91–2, 365
 - X-band, 365
- Frequency clearance, 260–61
- Frequency co-ordination, 258
- Frequency division multiple access (FDMA), 342, 437
- Frequency modulation (FM), 50–51, 100, 439
- Frequency shifting, 63–4
- FRR *see* First right of refusal (FRR)
- FSA *see* Free space attenuation (FSA)
- FSL *see* Free space loss (FSL)

- G/T *see* Figure of merit (G/T)
- Gain *see* Amplification factor
- GAN *see* Global Area Network (GAN) (M4)
- GATS *see* General Agreement on Trade and Services (GATS)
- GATT *see* General Agreement on Tariffs and Trade (GATT)
- General Agreement on Tariffs and Trade (GATT), 256
- General Agreement on Trade and Services (GATS), 256–7
- General packet radio services (GPRS), 355, 440

- GEO *see* Geostationary Earth orbit (GEO)
- Geostationary Earth orbit, 41, 340, 439
 longitude and latitude principles, 30–31
 principles, 29–30
 theory, 27–9
- Geostationary transfer orbit (GTO), 37–8
- Geosynchronous orbit, 30, 439
- GFCI *see* Ground fault circuit interrupter (GFCI)
- GFI *see* Ground fault interrupt (GFI)
- Global Area Network (GAN) (M4), 213
- Global Maritime Distress and Safety System (GMDSS), 207, 439
- Global Mobile Personal Communication by Satellite (GMPCS), 217, 256, 339–41
 development, 349–53, 363
 financing, 351–2
 history, 342
 licensing, 352–3
 spectrum allocation, 350–51
 type approvals, 353
- Global Positioning System (GPS), 156–7, 202, 331–3
- Global satellite systems, 263–4
- Global System for Mobile Communications (GSM), 353–5, 363
 enhanced data rates, 355
- Globalstar system, 344
- GMDSS *see* Global Maritime Distress and Safety System (GMDSS)
- GMPCS *see* Global Mobile Personal Communication by Satellite (GMPCS)
- GOP *see* Group of pictures (GOP)
- GPRS *see* General packet radio services (GPRS)
- GPS *see* Global Positioning System (GPS)
- GR *see* Guaranteed reservation (GR)
- Graveyard orbit, 440
- Gross vehicle weight (GVW), 149
- Ground fault circuit interrupter (GFCI), 146
- Ground fault interrupt (GFI), 146
- Ground station *see* Land earth station (LES)
- Group delay, 58
- Group of pictures (GOP), 178
 sequences, 180–81
- GSM *see* Global System for Mobile Communications (GSM)
- GTO *see* Geostationary transfer orbit (GTO)
- Guaranteed reservation (GR), 284
- Guard-band, 61
- GVW *see* Gross vehicle weight (GVW)
- Gyro-stabilized platforms, 296–7
- Hazards:
 aircraft flight path proximity, 312–313
 antenna path, 306
 definition, 303
 electrical, 315–316
 FCC requirements, 254
 manual handling, 316–317
 military installations, 314–315
 non-ionizing radiation, 304–305
 personnel, 330–33
 risk limitation, 309–312
 time pressure and fatigue, 320
 types, 304
 UK recommendations, 308–309
 US recommendations, 307–308
 vehicle driving, 317–20
- HDTV *see* High definition television (HDTV)
- Health and Safety Executive (UK) (HSE), 303
- High definition television (HDTV), 24, 440
- High power amplifier (HPA), 54
 analogue use, 64–6
 digital use, 82
 mounting, 67–9
 power calculation, 370
 power conditioning, 147–8
- High-speed circuit switched data (HSCSD), 355
- High-speed data (HSD) channels, 133, 218, 222
- Hop, 57
- Hostile environments:
 access problems, 332–3
 evacuation, 336–7
 immediate response, 329–30
 personnel risks, 330–32
 special considerations, 327–9
 uplink location, 334
 uplink movement, 334–6
 use of media pool, 337

- Hot spare, redundancy, 155
 HPA *see* High power amplifier (HPA)
 HSCSD *see* High-speed circuit switched data (HSCSD)
 HSD *see* High-speed data (HSD)
 channels
 HSE *see* Health and Safety Executive (HSE)
- I-frame, 178–9
 IATA *see* International Air Transport Association (IATA)
 ICO system, 346
 IEC *see* International Electro-Technical Commission (IEC)
 IEEE *see* Institute of Electrical and Electronics Engineers (IEEE)
 IESS *see* INTELSAT Earth Station Standard (IESS)
 IF *see* Intermediate frequency (IF)
 IFB *see* Interruptible feedback (IFB)
 IMO *see* International Maritime Organization (IMO)
 IMT *see* International Mobile Telecommunications (IMT) system
 Incidental power flux density (IPFD), 103, 371, 442
 Inclined orbit state, 286–7, 441
 Indian Ocean Region, 221, 442
 Information:
 rate, 72
 symbol rate, 80
 INIRC *see* International Non-Ionizing Radiation Committee (INIRC)
 Injection orbit *see* Geostationary transfer orbit (GTO)
 INMARSAT systems, 133–4, 204, 442
 equipment transportation certificate, 381
 history, 204–207
 HSD channel operation, 218, 220–21, 222
 privatization, 207–208
 satellites used, 205–206
 trans-border issues, 217, 256
 Type A, 208, 209
 Type B, 210, 211
 Type B satphone operation, 237–9
 Type C, 210
 Type D+, 215–216
 Type M4, 213, 215
 Type M, 210, 212, 213
 Type Mini-M, 213, 214, 239, 444
 use for newsgathering, 216–17, 240
 Inner code, 78–9
 Input back-off (IBO), 66
 Institute of Electrical and Electronics Engineers (IEEE), radiation exposure standards, 307
 Integrated receiver/decoder (IRD), 99–100, 442
 Integrated Services Digital Network (ISDN), 218
 applications, 222
 basic rate (BRI), 218, 220, 430
 channel operation, 220–21
 configuration, 219–20
 primary rate (PRI), 219, 449
 service classes, 218–19
 subscriber interfaces, 219
 terminal adaptor (TA), 220
 INTELSAT Earth Station Standard (IESS), 81
 IESS-306 standard, 79, 81
 IESS-308 standard, 81
 INTELSAT Satellite Systems Operations Guide (SSOG), 267
 SSOG 600 application, 269–70
 SSOG 600 space booking request, 397–400
 INTELSAT satellites, 266–7
 INTELSAT Operations Centre (IOC), 298
 INTELSAT systems:
 booking process, 268–9
 development, 265–7, 301
 EUTELSAT reciprocity agreement, 293–4
 IESS standards, 79, 81
 privatization, 270–72, 301
 registration process, 267–8
 type-approval, 268
 uplink registration forms, 387–96
 Inter-Union Satellite Operations Group (ISOG), 300–301, 443
 Standard Mode (DSNG transmissions), 192

- Interconnections:
 - fibre-optic, 127, 131
 - flyaway systems, 127–9
- Interference, 107
- Interlace, 442
- Intermediate data rate (IDR) framing *see*
 - Overhead framing (OHF)
- Intermediate frequency (IF), 58, 441
- Intermodulation product (IP), 66, 442
- International Air Transport Association (IATA), 325–6
 - case dimensions, 121
- International Electro-Technical Commission (IEC), video coding standards, 218
- International Maritime Organization (IMO), 204
- International Maritime Satellite Organization (INMARSAT) *see*
 - INMARSAT systems
- International Mobile Telecommunications (IMT) system, 354
 - IMT-2000, 354–5, 441
- International Non-Ionizing Radiation Committee (INIRC), 307
- International Radiation Protection Association (IRPA), 307
- International Standards Organization (ISO):
 - compression standards, 200
 - ISDN standards, 218
 - video coding standards, 218
- International Telecommunications Union (ITU), 383–6, 443
 - audio coding standards, 218
 - current role, 246–8
 - emission codes, 383–6
 - founding, 4, 244–5, 247
 - global communications memorandum, 217
 - ITU-D, 248
 - ITU-R, 248, 249
 - ITU-T, 248
 - Radio Regulations, 246
 - Recommendation ITU-R 465, 86
 - Recommendation ITU-R BT.601, 171, 379
 - Recommendation ITU-R BT.656, 171
 - Recommendation ITU-R SNG.1152, 256, 381
 - Standard ITU-T G.711, 223–4, 234
 - Standard ITU-T G.722, 198, 223–4, 234, 235
 - Standard ITU-T G.728, 223–4, 234
 - Standard ITU-T H.261, 197–8, 224
 - Standard ITU-T H.263, 197–8, 224, 225
 - Standard ITU-T H.320, 223–4
 - Standard ITU-T H.324, 223–4
 - structure, 248
- International Telegraph Union, *see*
 - International Telecommunications Union
- International Trade Organisation (ITO), 256
- Internet protocol (IP), 357–9
- Interoperability, MPEG-2 and DVB, 192, 194, 442
- Interruptible feedback/foldback (IFB), 91, 124, 441
- Interview mode, 193
- Intra-frame coding, 178, 442
- Inverter systems, SNV, 145
- IOC *see* INTELSAT Operations Centre (IOC)
- IOR *see* Indian Ocean Region
- IPFD *see* Incidental power flux density (IPFD)
- IRD *see* Integrated receiver/decoder (IRD)
- Iridium system, 343
- IRPA *see* International Radiation Protection Association (IRPA)
- ISDN *see* Integrated Services Digital Network (ISDN)
- ISO *see* International Standards Organization (ISO)
- ISOG *see* Inter-Union Satellite Operations Group (ISOG)
- ITO *see* International Trade Organisation (ITO)
- ITU *see* International Telecommunications Union (ITU)
- Joint Photographic Experts Group (JPEG), 184, 443
 - Motion JPEG, 183–4, 445
- JPEG *see* Joint Photographic Experts Group (JPEG)

- Ka-band, 53, 341, 347, 349, 365, 443
- KaSTAR system, 348
- Ku-band, 45, 52, 53, 365, 443
 - cross-strapping, 293
 - frequency band of operation, 154
 - satellite capacity, 20, 21
 - spotbeams, 279
 - widebeams, 279

- L-band, 45, 365, 443
- Land earth station (LES), 40, 205
- Land mobile earth station (LMES), 208
- Latency, compression, 164, 193, 194
- Latitude *see* Longitude and latitude principles
- Launch procedure, satellite, 31–8
- Launch vehicles, satellite, 32
- Launcher *see* Feedhorn, assembly
- Layers, MPEG standards, 199–200
- Leasing arrangements *see under* Capacity
- LEO *see* Low Earth orbit (LEO)
- LES *see* Land earth station (LES)
- Levels, MPEG-2, 188–9
- LHCP *see* Polarization (of signals), circular
- Licences, for uplinks, 258, 259–60
- Line-up procedures, 298
- Linear polarization, 53, 89, 444
- Link budgets, 101–103, 444
 - analogue, 102, 108, 369–75
 - antenna gain, 370
 - azimuth angle to satellite, 367–8
 - carrier-to-noise ratio, 372–4
 - digital, 108, 375–7
 - elevation angle to satellite, 368
 - free space attenuation, 370
 - HPA power, 370
 - polarization skew, 89, 368–9, 449
 - sample calculations, 366–78
 - scale of numbers, 108–109
 - slant range, 369
 - uplink EIRP, 370
 - uplink positioning and pointing, 366–7
 - uplink power to satellite, 371–2
- Live-shot requirements, 123
- LNA *see* Low noise amplifier (LNA)
- LNB *see* Low noise block converter (LNB)

- Logistics, 320–21
 - air transport, 320
 - planning processes, 321–3
- Longitude and latitude principles, 30–31
- Lossless compression, 167, 444
- Lossy compression, 168, 444
- Low bit-rate (telephony) systems, 341
- Low Earth orbit (LEO), 340
- Low noise amplifier (LNA), 98, 99, 444
- Low noise block converter (LNB), 90, 98, 444
- Luminance, 169–70, 172, 185

- M4 *see* INMARSAT systems, Type M4
- Main profile (MP), 188–9
- Manual handling hazards, 316–317
- Masking technique, 198
- Maximum permissible exposure (MPE)
 - limits, 307–308
- MCB *see* Miniature circuit breaker (MCB)
- MCPC *see* Multiple carriers per channel (MCPC)
- Medium Earth orbit (MEO), 340, 445
- MEO *see* Medium Earth orbit (MEO)
- MES *see* Mobile earth station (MES)
- Message signal *see* Baseband signal
- Metadata, 202, 445
- Military installations, proximity hazards, 314–315
- Miniature circuit breaker (MCB), 146
- Mobile earth station (MES), 133, 205
- Mobile Satellite Service (MSS), 251, 342
- Modem, 73
- Modulation:
 - analogue, 151–2
 - audio, 197
 - digital, 73–6, 151, 152–3
 - frequency/amplitude, 50–51
- Modulator, 54
 - analogue uplink, 57–8
 - controls, 81
 - digital *see* Modem
- Monitoring, uplink, 89–91
- Mosquito noise, 193
- Motion JPEG, 182, 183–4
- Motion prediction, video compression, 178–80, 181–2, 445

- Motion vector, 181, 445
- MP@ML coding (pixel resolution), 188–9
- MPEG:
 - choice of encoder, 193–5
 - future developments, 202
 - Layer I standard, 199
 - Layer II standard, 199, 235–6
 - Layer III standard, 199–200
 - perceptual coding, 198–9
 - standards, 182, 186–7, 199–200, 218
- MPEG-1 standard, 182, 186, 187, 446
- MPEG-2 standard, 182, 187–8, 446
 - chip-set manufacturers, 194
 - coding, 151
 - compression equipment cost, 24
 - development, 185, 186–7
 - digital compression, 72
 - DVB, 189–90
 - encoder, 72, 193–5
 - interoperability testing, 301
 - levels, 188–9
 - profiles, 188–9
- MSS *see* Mobile Satellite Service (MSS)
- Multilateral transmission, 299–300
- Multiple carriers per channel (MCPC), 66, 156, 191
- Multiple programme paths, 155–6
- Multiplexing, 189, 195
- MUSICAM standard, 200

- NABA *see* North American Broadcasters Association (NABA)
- National controls, 255–6, 257–8, 261
 - frequency clearance, 260–61
 - licences, 259–60
 - permissions, 258
 - regulations, 255
 - see also* Cross-border issues
- National Council on Radiation Protection (NCRP), 307
- National Radiological Protection Board (NRPB), 308–309
- NCRP *see* National Council on Radiation Protection (NCRP)
- Newsgathering:
 - electronic *see* Electronic newsgathering (ENG)
 - pre-electronic, 16–18
 - satellite *see* Satellite newsgathering (SNG)
- Noise, 446
 - digital signals, 107
 - immunity from, 51
 - system, 98, 105–106
 - threshold, 106, 455
- Non-ionizing radiation, 304–305, 447
 - calculation formulae, 405–407
- North American Broadcasters Association (NABA), 300, 446
- North American regional satellite systems, 274–6
- NRPB *see* National Radiological Protection Board (NRPB)
- NTSC, 62, 169, 447

- OBO *see* Output back-off (OBO)
- Occasional use, booking, 285–6, 295
 - procedure, 298–9
- Occupational Safety and Health Administration (US) (OSHA), 303
- Ocean Region code, 221
- OHF *see* Overhead framing (OHF)
- OMT *see* Orthogonal-mode transducer (OMT)
- Operator training, 294
- Orbit, geostationary *see* Geostationary Earth orbit
- Orthogonal-mode transducer (OMT), 89–90, 447
- OSHA *see* Occupational Safety and Health Administration (US) (OSHA)
- Outage, 98
- Outer code, 78
- Output back-off (OBO), 66, 447
- Over-runs, 299
- Overhead framing (OHF), 79, 447

- P-frame, 179
- Pacific Ocean Region, 221, 449
- Packet Identifier (PID), 191
- Packet switching, Internet, 358, 448
- Packetized elementary streams (PES), 189, 191
- PAL, 62, 169, 448

- PanAmSat (Pan American Satellite Corporation), 272–4
- PAS-6B satellite launch, 33–8
- PCM *see* Pulse code modulation (PCM)
- PDU *see* Power distribution unit (PDU)
- Perceptual coding, 448
- Perigee, 37
- Permissions, for SNG uplinks, 258
- Personnel risks and training, 330–33
personal radiation protection badges, 311
- PES *see* Packetized elementary streams (PES)
- Phase combiner *see* Variable phase combiner (VPC)
- Phase modulation, digital, 73–6
- Phase shift key (PSK) modulation, 72–3
8-PSK, 75
- PID *see* Packet Identifier (PID)
- Pixel structure, 162, 163, 448
- Pointing loss, antenna, 105
- Polarization:
calculation, 368–9
circular, 88
feedhorn, 88–9
linear, 53, 89, 444
signal, 53–4, 449
skew, 89, 449
- POR *see* Pacific Ocean Region
- Power distribution unit (PDU), 146
- Power meter, 90–91
- Power supply unit (PSU), 64, 66
- Power take-off systems, SNV, 146
- Power transfer characteristic, 65
- Pre-emphasis:
audio processing, 59–60
standards, 61
video processing, 58–9
- Precipitation:
loss, 104–105, 449
zones, 104, 449
- Profiles, MPEG-2, 188–9
- Programme-specific information (PSI), 189
- PSI *see* Programme-specific information (PSI)
- PSK *see* Phase shift key (PSK) modulation
- PSU *see* Power supply unit (PSU)
- Psycho-acoustics, 196, 198–9
- Pulse code modulation (PCM), 197, 450
- QAM *see* Quadrature amplitude modulation (QAM)
- QCIF *see* Quarter common intermediate format (QCIF)
- QoS (quality of service), 357, 359
- QPSK *see* Quadrature phase shift key (QPSK)
- Quadrature amplitude modulation (QAM), 77
16-QAM, 77, 428
64-QAM, 77, 428
- Quadrature phase shift key (QPSK) modulation, 74–5, 77–8
- Quantization, 175
audio, 197–8
errors, 193
level, 165
- Quarter common intermediate format (QCIF), 183, 224
- RACE programme, 184
- Rack-height unit (RU), 122, 123
- Radiation:
exposure limits, 307
non-ionizing, 304–305
personal protection badges, 311
- Radiocommunications Agency (UK) (RA), 259, 313
- Rain:
detrimental effects, 104, 450
fading effect, 375
- Rain climatic zones *see* Precipitation, zones
- Random effects *see* Noise
- RCCB *see* Residual current circuit breaker (RCCB)
- RCD *see* Residual current device (RCD)
- Redundancy:
system, 155, 450
video, 169–71
- Reed-Solomon (RS) code, 78, 80, 450
- Reference signal (clock), 76
- Reflector, antenna, 83
- Regional satellite systems, 263–4, 274–8
- Reg.TP licences, 259
- Remote control packages, 159–60
- Reservations, satellite lease, 284
- Residual current circuit breaker (RCCB), 146

- Residual current device (RCD), 146, 316
- Resolution (picture), 162, 165
- Restoration process, 287–90
- RF (radio frequency):
 bandwidth standards, 50, 243, 249
 radiation effects, 305
- RHCP *see* Polarization, circular
- Risks:
 definition, 303–304
 limitation, 309–312
 to personnel, 330–33
- Road transport, 327
 see also SNV
- RS code *see* Reed-Solomon (RS) code
- RU *see* Rack-height unit
- S/N *see* Signal-to-noise (S/N) ratio
- Safety *see* Hazards
- Safety zone area, 310–312
- Sampling, 451
 audio, 197
 digital, 164–7
 frequency, 165
 video rates, 171–2
- SAR *see* Specific energy absorption rate
- Satellite capacity *see* Capacity
- Satellite communication:
 theory, 19, 27–9, 48–52
 analogue uplink, 57–71
 antenna, 82–9
 digital uplink, 71–82
 downlink, 98–100
 frequency bands used, 52–3
 fully remote operation, 159–60
 losses, 104–105
 monitoring, 89–91
 noise concept, 105–109
 on-board processes, 95–7
 studio-remote links, 91–4
 system performance, 101–103
 transmission system, 54, 57
- Satellite newsgathering (SNG):
 choice of system, 110–14
 developments in Europe, 20–23
 developments in US, 20
 digital, 23–4, 71
 early developments, 19–24
 flyaway systems *see* Flyaway systems
 future developments, 339
 GMPCS development, 349–53
 GSM cellphones, 353–4
 impact, 24–5
 lightweight systems, 130, 132–3
 see also INMARSAT systems
- Satellite newsgathering vehicles (SNV), 20,
 23, 113, 134–40
 chassis choice, 141–2
 construction methods, 150–51
 electrical power distribution, 146–7
 electrical power generator, 143, 145–6
 future developments, 362
 in hostile environments, 332–3, 334–6
 operation, 158
 racking and wiring, 148–9
 stabilizing jacking system, 148
 weight budget, 149–51
- Satellite telephone (satphone), 133, 208
 call set-up and clearing, 222
 see also INMARSAT systems
- Satellites:
 Anik series, 276
 attitude control, 429
 automated acquisition, 156–9
 COMSTAR series, 275
 early history, 247
 EUTELSAT series, 276, 277
 Galaxy IV, 23
 geostationary orbit, 29–31, 451
 GSTAR series, 275
 HS-601 launch, 33–8
 in-orbit failures, 288–90
 INMARSAT, 205–207
 INTELSAT 605 failure, 288–90
 INTELSAT 802, 96, 97, 98
 INTELSAT I, 19
 launch into orbit, 31–8
 locating from earth, 42–4
 orbit positioning, 39–47
 paper, 448
 regional systems, 274–8
 sensitivity, 103
 SPACENET series, 275
 spacing requirement, 85–6, 254
 station-keeping, 39–42
 SYNCOM II, 19
 Telstar 401 failure, 290
 Telstar series, 19, 23, 247, 275

- Satphone *see* Satellite telephone
- Saturation (maximum power operation), 66, 451
- Scanning principle, 162, 163
- Scintillation, 451
- SCPC *see* Single carrier per channel (SCPC)
- SDTV, 8 Mbps mode, 185
- SECAM standard, 451
- SES *see* Société Européenne de Satellites (SES)
- Shannon theory, 168, 452
- Shore power, 147
- Sidereal cycle, 29
- SIF *see* Source input format (SIF)
- Signal delay, 57
- Signal-to-noise (S/N) ratio, 60–61, 102, 452
- Simple profile (SP), 188
- Single carrier per channel (SCPC), 66, 191
- Skew angle, 89, 368–9, 452
- SkyBridge system, 348
- Slant angle, 104
- Slant range path (calculation), 369, 452
- Small signal suppression, 92, 452
- SMPTE *see* Society of Motion Picture and Television Engineers (SMPTE)
- Snow (noise), 453
- SNV *see* Satellite newsgathering vehicles (SNV)
- Société Européenne de Satellites (SES):
Astra (operator), 276
station keeping, 40
- Society of Motion Picture and Television Engineers (SMPTE):
SMPTE 125M standard, 171
SMPTE 259M standard, 171
- Solar eclipses, effect on satellites, 45–6
- Solar outages, 46, 47, 453
- Solid state power amplifier (SSPA), 82
- Sound-in-sync (SIS) system, 59, 453
- Source input format (SIF), 187, 452
- Space junk, 39
- Space segment booking service order, 402
- Spaceway system, 348
- Spatial redundancy, 170–71, 453
- Specific energy absorption rate (SAR), 3–5, 451
- Spectral redundancy, 169–70, 453
- Spectrum, electromagnetic *see* Electromagnetic spectrum
- Spectrum analyser, 89–90, 453
- Spotbeams, 279
- Spreading loss, 103, 453
- SQCIF *see* Sub-quarter common intermediate format (SQCIF)
- SSOG *see* INTELSAT Satellite Systems Operations Guide (SSOG)
- SSPA *see* Solid state power amplifier (SSPA)
- Station-keeping, satellite, 39–42, 454
- Store and forward video applications, 133
live mode transmission, 228–9
Livewire Voyager unit, 231–3
principles, 226–8, 454
TOKO VAST units, 229–31
- Studio-remote communications, 124
- Sub-quarter common intermediate format (SQCIF), 224
- Sub-satellite point, 30
- Subscriber identity module (SIM), 344
- Sun-outs *see* Solar outages
- Switched-56 service, 454
- System choice:
basics, 110–11
flyaways *see* Flyaway systems
packaging, 114
specification, 111–14
- System noise, 98, 105–106, 454
- Talkback circuit, 91, 124
- TBR *see* Technical basis for regulation (TBR)
- TDMA *see* Time division multiple access (TDMA)
- Technical basis for regulation (TBR), 252
- Teledesic system, 347
- Telegraphy:
origins, 3
see also Electric telegraph
- Telemetry, Tracking and Control/Command (TT&C), 38, 45
- Telephone:
early development, 5–6
satellite *see* Satellite telephone
- Teleport, 55, 56, 57

- Television:
 Baird mechanical system, 14
 colour signal transmission, 169–70
 early developments, 13–15
 electronic system, 14–15
 news broadcasting developments, 15–16
 public service broadcasts, 15
 Temporal redundancy, 171, 455
 Terrestrial microwave links, 362–3
 Third generation mobile (3G) system, 353–5, 428
 Thomson (HDTV codec development), 185
 Thread (uplink transmission chain), 57
 Threshold:
 extension, 107, 455
 margin, 106, 437, 455
 noise, 106, 455
 Thrusters (booster motors), 42
 Thuraya system, 346
 Time division multiple access (TDMA), 455
 Transfer orbit, 37–8
 Transmission:
 classification codes, 383–6
 rate, 80
 system, satellite, 54, 57
 Transmitted symbol rate, 80
 Transponder, 456
 Transport stream (TS), 191, 456
 Transportable systems, 20, 21, 23
 Travelling wave tube (TWT), 64–6, 456
 electrical hazard, 315
 Truncation noise, 106–107, 456
 TS *see* Transport stream (TS)
 TT&C *see* Telemetry, Tracking and Control (Command) (TT&C)
 Turnaround, 456
 TWT *see* Travelling wave tube (TWT)
 Type-approval, 253
 FCC, 254
 GMPCS, 353
 INTELSAT system, 268
- UMTS *see* Universal Mobile Telecommunication System (UMTS)
 Undersea cable links, 355–6
 Unilateral transmission, 299
- Universal Mobile Telecommunication System (UMTS), 354, 363
 Upconverter, 54, 456
 analogue, 63–4
 digital, 81
 Uplink limited system, 105
 Uplink systems, 42–3, 54
 analogue, 57–71
 co-ordination, 297–8
 EIRP (calculation), 370
 line-up, 298
 locating, 296–7
 positioning and pointing (calculation), 366–7
 power to satellite (calculation), 371–2
 registration steps, 293, 387–96
- Variable length coding (VLC), 176–7, 457
 Variable phase combiner (VPC), 69–71, 448
 Vehicle driving regulations, 317–18
 Australia, 320
 Europe, 318–19
 North America, 319–20
 Video compression, 169
 standards, 182–5
 Video editing, 58–9, 126–7
 Video sampling rates, 171–2
 Video-conferencing systems, 222–6, 457
 Viterbi, 457
 VLC *see* Variable length coding (VLC)
 Voice systems, 343–6
- WARC *see* World Administrative Radiocommunication Conference (WARC)
 Waveguide, 66, 83, 457
 losses, 105, 457
 WBU *see* World Broadcasting Union (WBU)
 Wegener Panda standard, 61
 Wireless, early development, 6–8
 World Administrative Radiocommunication Conference (WARC), 248, 250–51
 World Broadcasting Union (WBU), 300
 World Health Organization (WHO), non-ionizing radiation, 307

World Radiocommunications Conference
(WRC), 250, 457
WRC-97 decisions, 250–51
World Telecommunication Standardisation
Conference (WTSC), 248
World Trade Organisation (WTO), 256–7
WRC *see* World Radiocommunications
Conference (WRC)
WTDC, 248

WTO *see* World Trade Organisation
(WTO)
WTSC *see* World Telecommunication
Standardisation Conference (WTSC)
X-band, 365
XPD *see* Cross-polar discrimination (XPD)

